

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. (Currently Amended) A safety device ~~for~~ in combination with a window frame in a motor vehicle having door windows defined by a retractable glass panel which is guided into a receiving frame, the safety apparatus comprising:

a window insert formed from a sheet of optically transmissive material, said window insert having an upper edge defined to be inserted, along with the retractable glass panel window, into an upper receiving channel of the window frame, said window insert having one or more fastening receivers' and wherein said window frame includes weatherstripping between said glass panel and said window frame;

a mounting bracket with a lower edge defined to be inserted between the retractable glass panel window and the weatherstripping of said window frame, said mounting bracket having a surface to receive the window insert, and said mounting bracket having one or more fasteners to retain the window insert.

2. (Original) A safety device of claim 1 wherein said window insert is formed from a material selected from the group consisting of optically transmissive polycarbonates, acrylics, and plastics.

3. (Original) A safety device of claim 1 wherein said window insert is formed from a bullet proof material.

4. (Original) A safety device of claim 3 wherein said bullet proof material is selected from the group consisting of glass composite and glass/plastic composite and all plastic.

5. (Original) A safety device of claim 1 wherein said window insert has the bottom edge notched to assist during installation and accepts the mounting bracket.

6. (Original) A safety device of claim 1 wherein said window insert is formed from a material selected from the group consisting of opaque polycarbonates, acrylics, and plastics.

7. (Cancelled)

8. (Currently Amended) A safety device for in combination with an automobile a vehicle having door windows defined by a retractable glass panel which is guided into a receiving frame which frame includes weatherstripping, the safety apparatus comprising:

a window insert formed from a sheet of optically transmissive material, said window insert having a lower edge defined to be inserted between said retractable glass panel window and the weatherstripping of said receiving frame, said window insert having at least one orifice covering less than fifty percent of the surface and of said window insert allowing airflow through said window insert, said at least one orifice formed on an axis at either a perpendicular or a non-perpendicular angle to the plane of said window insert, said window insert having one or more fasteners'[[.]] and

a mounting bracket with an upper edge defined to be inserted, along with said retractable glass panel window, into an upper receiving channel of the window frame, said mounting bracket having one or more fastening receivers.

9. (Cancelled)

10. (Original) A safety device of claim 8 wherein said window insert is formed from a material selected from a group consisting of optically transmissive polycarbonates, acrylics, and plastics.

11. (Original) A safety device of claim 8 where said window insert is formed from bullet proof material.

12. (Original) A safety device of claim 11 wherein said bullet proof material is selected from the group consisting of glass composite and glass/plastic composite and all plastic.